

BEFORE USING THIS PRODUCT, READ THE LABEL CAREFULLY. KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

ADJUVANT

Destinaire®



3:16/01/2023 – Feb2023

A methylated seed oil-based adjuvant for use with post-emergence pesticides as listed.

ACTIVE INGREDIENT

GROUP

ADJUVANT

**methylated seed oil
(methyl ester),
high fructose maize syrup**

757 g/ℓ

Reg. No. L 10598 Act No. 36 of 1947

Hazard Statements:

Harmful if inhaled.

Precautionary Statements:

Avoid breathing dust, fume, gas, mists, vapours or spray.
Use only outdoors or in a well-ventilated area.



WARNING

24 HR EMERGENCY NUMBERS:

Griffon Poison Centre: +27 82 446 8946

24 HR Transport / Spill Emergency no: (Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Registration Holder:

WinField Solutions Registration Holdings (Pty) Ltd.

Co. Reg. No. 2015/312008/07

P.O. Box 10413, Aston Manor, 1630, South Africa

Tel. (011) 396 2233

Website: www.villacrop.co.za



UN Number: Not Regulated

villa

DIRECTIONS FOR USE ENCLOSED
Batch Number
Date of manufacture
REFER TO DETAILS AS PRINTED ON CONTAINER / BAG

DESTINAIRE®

Reg. No. L 10598 Act No. 36 of 1947

ACTIVE INGREDIENT:

methylated see oil (methyl ester), high fructose maize syrup757 g/l

Registration holder:

WINFIELD SOLUTIONS REGISTRATION HOLDINGS (PTY) LTD.

Co. Reg. No. 2015/312008/07

P.O. Box 10413, ASTON MANOR, 1630 Tel. (011) 396 2233

WARNINGS**Hazard statements:**

Harmful if inhaled.

- May cause skin and eye irritation.
- Store in a cool, dry, well-ventilated place.
- Store away from food, feeds, seed, fertilizers and other agricultural remedies.
- Keep out of reach of children, uninformed persons and animals.

Although this remedy has been extensively tested under a wide variety of conditions, the registration holder does not warrant that it will be efficacious, because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal for any reason whatsoever or for lack of performance of the remedy concerned, due to failure of the user to follow the instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS**Precautionary statements:**

Avoid breathing dust, fume, gas, mists, vapours or spray.
Use only outdoors or in a well-ventilated area.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- Wear gloves when handling the dispenser.
- Avoid contact with skin, eyes and clothing.
- Wash thoroughly with soap and water after use and after accidental skin contact.
- In the case of eye contact, flush eyes with copious amounts of water for at least 15 minutes.
- Wash contaminated clothing after use.
- Do not eat, drink or smoke whilst mixing or applying or before washing hands and face and change of clothing.
- Thoroughly clean the applicator after use and dispose of wash water in a way that will not contaminate the environment, food, grazing and water sources.
- **TRIPLE RINSE THE EMPTY CONTAINER AS FOLLOWS:** Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler www.croplife.co.za. Do not bury, burn, or donate the container to any other parties that may use it as a container for food or beverages.
- Prevent contamination of food, feeds, drinking water and eating utensils.

Relevant hazardous components:

None of the components were deemed toxic by the European Chemical Agency.

FIRST AID**Inhalation:** Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.

Ingestion: Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eyes: Flush eyes with clean water. Lift eyelids to facilitate irrigation. If present, remove contact lenses.

Skin: Flush skin with water and then wash with soap and water.

USE RESTRICTIONS

- Test the mixture on a small scale before applying it commercially on crops.

DIRECTIONS FOR USE: Use only as directed.

Compatibility:

- **DESTINAIRE®** may be used with most commonly used crop protection agrichemicals and other Villa CP or Winfield Solutions Registration Holdings approved adjuvants.
- A jar test for compatibility is recommended prior to large scale mixing.
- Do not use with any agrichemical that restricts the use of an adjuvant.
- Adhere to the “**Mixing Instructions**” and “**DIRECTIONS FOR USE**” for the product with which **DESTINAIRE®** is to be used.
- In the event of tank mixtures, strictly adhere to all the recommendations of all the tank-mixture components.
- Prepared mixture must not be left in the spray tank for any length of time.

Mixing Instructions:

- Add **DESTINAIRE®** after pesticides or other adjuvants are added but prior to complete filling of the spray tank. Maintain agitation at all times until the contents of the tank are sprayed out.

Application Instructions:

- Ground application:
DESTINAIRE® can be used with any correctly calibrated spray equipment as recommended on the complimentary agrichemical label.
- Aerial application:
Adhere to all instructions for aerial spraying of crop protection agrichemicals as indicated in the **Aerial Application Instructions** in the label of the product to be used with **DESTINAIRE®**.
- In case of any doubt, consult with the Registration Holder.

APPLICATION RATES

<i>Pesticide group</i>	<i>Active ingredient</i>	<i>Trade name</i>	<i>DESTINAIRE® dosage rate</i>	<i>Remarks</i>
Herbicides				
<u>Triazines</u>	Atrazine / Terbutylazine	Terbusien Super 600 SC	450 to 600 ml / ha	The dosage rate depends on weed growth stage and infestation. Use higher rates on weeds in a later growth stage. Consult the herbicide label for the full details regarding “ DIRECTIONS FOR USE ”.
<u>Sulfonylureas</u>	Chlorimuron-ethyl	Elegance Super 750 WDG		
Fungicides				
<u>Triazoles + Benzimidazoles</u>	Fluzilazole / Carbendazim	Sparta 375 SC	450 to 600 ml / ha	The dosage rate depends on crop growth stage. Use higher rates on crops in a later growth stage. Consult the fungicide label for the full details regarding “ DIRECTIONS FOR USE ”.
<u>Dithiocarbamates</u>	Mancozeb	Villa Unizeb 800 WP		

Consult the relevant pesticide labels for **WARNINGS, PRECAUTIONS** and **DIRECTIONS FOR USE**.

The following products mentioned in this label may be replaced with equivalent products:

- **ELEGANCE SUPER 750 WDG** (L 9158) = **STYLE 750 WDG** (L 9157)
- **SPARTA 375 SC** (L 8403 / N-AR 1340) = **FLUSILAZIM 375 SC** (L 8400 / W 130493)
- **VILLA UNIZEB 800 WP** (L 8056 / N-AR 1091) = **COZEB 800 WP** (L 7098) = **NEWZEB 800 WP** (L 8167),

SPARTA 375 SC, VILLA UNIZEB 800 WP, TERBUSIEN SUPER 600 SC (L 5435 / N-AR 1110) and **ELEGANCE SUPER 750 WDG** are registered products of **VILLA CROP PROTECTION (PTY) LTD.**

FLUSILAZIM 375 SC, COZEB 800 WP and **STYLE 750 WDG** are registered products of **UNIVERSAL CROP PROTECTION (PTY) LTD.**

NEWZEB 800 WP are registered products of **CROPASURE (PTY) LTD.**

DESTINAIRE® is a registered trademark of **WINFIELD SOLUTIONS REGISTRATION HOLDINGS (PTY) LTD.**