

CRISP 750 SL

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: CRISP 750 SL
Other identifier: Chlormequat chloride 750 SL
Recommended use: Plant Growth Regulator
Restrictions on use: Agriculture

Supplier: Universal Crop Protection (Pty) Ltd.
Co. Reg. No.: 1983/008184/07
 PO Box 801,
 Kempton Park, 1620, South Africa
Telephone: (011) 396 2233
Fax: (011) 396 4666
Website: www.villacrop.co.za

Emergency telephone numbers:
24 Hr Transport / Spill emergency no:
 (Hazcall24) +27 86 044 4411
 (Client: Villa Crop Protection)
 Griffon Poison Information Centre +27 82 446 8946
 (Client: Villa Crop Protection)
Poisoning Emergency telephone numbers:
 Griffon Poison Information Centre +27 82 446 8946
 Poisons Information Centre +27 861 555 777

2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
Physical		
Corrosive	Metal Corrosion 1	H290
Health		
Oral	Acute Toxicity 4	H302
Dermal	Acute Toxicity 4 Skin Irritation 3	H312 H316
Eye	Eye Irritation 2	H319
Specific target organ – single exposure	STOT SE 2	H371

The most important adverse effects:
Physiochemical effects:
 May be corrosive to metals.
Human health effects:
 Harmful if swallowed.
 Harmful in contact with skin.

Causes mild skin irritation.
 Causes serious eye irritation.
 May cause damage to organs (optic nerve, central nervous system).

Label elements:



Signal word: Warning

Hazard statements:

H290: May be corrosive to metals.
 H302: Harmful if swallowed
 H312: Harmful in contact with skin.
 H316: Causes mild skin irritation.
 H319: Causes serious eye irritation.
 H371: May causes damage to organs (optic nerve, central nervous system)

Precautionary statements:

P234: Keep only in original packaging.
 P260: Do not breathe mist or spray.
 P264+P265: Wash hands and face thoroughly after handling. Do not touch eyes.
 P270: Do not eat, drink or smoke when using this product.
 P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
 P301+P302+P317: IF SWALLOWED OR ON SKIN: Get medical help.
 P302+P352: IF ON SKIN: Wash with plenty water and non-abrasive soap.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
 P308+P316: IF exposed or concerned: Get emergency help immediately.
 P330: Rinse mouth.
 P332+P337+P317: If skin irritation occurs or eye irritation persists: get medical help.
 P362+P364: Take off contaminated clothing and wash it before reuse.
 P390: Absorb spillage to prevent material-damage.
 P405: Store locked up.
 P406: Store in a corrosion resistant container / container with resistant lining.
 P501: Dispose of contents/container in accordance with local regulations.

CRISP 750 SL

SAFETY DATA SHEET

Other hazards:

None known.

Toxicity:

Classification according to GHS: Category 4

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

Composition:

Chemical name	CAS	Conc. (m/v%)	Classification EC 1272/2008
Chlormequat chloride	999-81-5	75 %	Acute Toxicity 4 (H302) Acute Toxicity 4 (H312)
Sodium dodecyl benzene sulfonate	25155-30-0	< 5%	Acute Toxicity 4 (H302) Skin Irritation 2 (H315) Eye Damage 1 (H318)
Methanol	67-56-1	< 10%	Flammable Liquid 2 (H225) Acute Toxicity 3 (H301) Acute Toxicity 3 (H311) Acute Toxicity 3 (H331) STOT SE 1 (H370)

4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure.

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.

Skin: Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap.

Seek medical attention.

Eyes: Flush eyes with clean water for at least 15 – 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention if irritation persists.**

Ingestion: **Seek medical attention** or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an

unconscious person. If the person is alert, rinse mouth thoroughly with water.

Anticipated acute effects:

Harmful if swallowed.

Harmful in contact with skin.

Causes mild skin irritation.

Causes serious eye irritation.

May cause damage to organs (optic nerve, central nervous system).

Anticipated delayed effects: None known.

Most important symptoms / effects: None known.

Advice to physician: Treat symptomatically and supportively. No specific antidote known.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use carbon dioxide or dry chemical for small fires and water fog or foam for large fires.

Unsuitable Extinguishing Media: High volume water jet. Use a water jet only to cool heated containers.

Specific hazards: None known.

Special fire-fighting procedures: Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Remain upwind of fire. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal.

Personal protective equipment: Wear NIOSH / MSHA approved self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin and eyes. Do not breathe in spray mist. Ventilate area of spill or leak, especially in contained areas.

Protective equipment: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Emergency procedures: Alert firefighting personnel, evacuate unprotected personnel and animals.

CRISP 750 SL

SAFETY DATA SHEET

Environmental Precautions: Prevent spilled product from entering sewers, waterways or ground water.

Methods and Materials for Containment: Contain spilt product by diking area with sand or earth.

Methods and Materials for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilt material back in original container. Do not re-use spilt material. Collect washings and add to the drums already collected. Do not flush spilt material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. See section 13 for disposal considerations.

7. HANDLING AND STORAGE

Handling:

Precautions for safe handling: Harmful if swallowed. Avoid contact with skin and eyes. Ensure adequate ventilation during handling and use. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

General occupational hygiene: Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

Storage:

Conditions for safe storage: Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed in an isolated, dry, cool and well-ventilated area. Do not store near heat, open flame, sources of ignition or hot surfaces. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

Incompatible substances and mixtures: Refer to product label.

Packaging material: Plastic and fluorinated plastic containers.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Permissible concentration

Components	Exposure limits	Type of exposure limit	Source
Methyl alcohol	200 ppm	TWA	www.osha.gov

Engineering Controls:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

Personal Protective Equipment:

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area (airborne concentrations exceed exposure limits), use a NIOSH approved, air-purifying respirator with cartridges / canisters approved for organic vapours.

Hand Protection: Employees must wear chemically protective gloves to prevent against skin contact.

Eye Protection: Employees must wear chemical safety goggles to prevent against eye contact. Contact lenses are not protective eye devices.

Skin and Body Protection: Employees must wear appropriate protective clothing, boots, hat and equipment to prevent repeated or prolonged skin contact with this substance.

Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow transparent liquid, soluble concentrate.

Odour: Amine-like.

Odour threshold: Not available

pH (1% aqueous dilution): 2.5 - 8 @ 20±2 °C.

Melting point: Not available.

Freezing Point: Not available.

CRISP 750 SL

SAFETY DATA SHEET

Boiling Point: Not available.
Flash Point: Not available.
Flammability: Not available.
Upper / lower explosion limits: Not available.
Vapour Pressure (mm Hg): Not available.
Relative Vapour Density: Not available.
Density / Relative density: 1.138 g/cm³.
Solubility: Soluble in water.
n-octanol / water partition coefficient: Not available.
Auto-ignition temperature: Not available.
Decomposition temperature: Not available.
Viscosity: Not available

10. STABILITY AND REACTIVITY

Chemical stability: The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.

Reactivity: None known.

Possibility of hazardous reactions: Unlikely to occur.

Conditions to avoid: Extreme heat or exposure to flames.

Incompatible materials: Strong oxidizers, strong bases, strong reducing agents.

Hazardous decomposition products: Alcohols, carbon monoxide and carbon dioxide may form under burning conditions or with incomplete combustion.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Calculated according to GHS

Oral LD₅₀: >1000 mg/kg (rat)

Dermal LD₅₀: >1400 mg/kg (rabbit)

Inhalation LC₅₀: (4h) >5 mg/ℓ (rat)

Skin Irritation / Corrosion: Causes mild skin irritation.

Eye Damage / Irritation: Causes serious eye irritation.

Skin Sensitization: Not classified.

Respiratory Sensitization: Not classified.

Reproductive cell mutagenicity: Not classified.

Carcinogenicity: Not classified.

Reproductive toxicity: Not classified.

Specific target organ toxicity – single exposure: May cause damage to organs (optic nerve (*nerve opticus*), central nervous system).

Specific target organ toxicity – repeated exposure: Not classified.

Aspiration hazard: Not classified.

Chronic Effects: Not available.

POTENTIAL ADVERSE EFFECTS:

Inhalation: None known.

Ingestion: Harmful if swallowed.

Other information:

12. ECOLOGICAL INFORMATION

This product is not expected to be harmful to aquatic organisms.

ECOTOXICITY DATA:

Active ingredient / inert name

Fish:

LC ₅₀ (96 h)	Rainbow trout	>100 mg/ℓ
	Mirror Carp	>100 mg/ℓ

Daphnia:

LC ₅₀ (48 h)		31.7 mg/ℓ
-------------------------	--	-----------

Algae:

EC ₅₀ (72 h)	<i>Pseudokirchneriella subcapitata</i>	>100 mg/ℓ
	<i>Chlorella fusca</i>	5656 mg/ℓ

Birds:

Acute oral LD ₅₀	Japanese quail	441 mg/kg
	Pheasants	261 mg/kg
	Chickens	920 mg/kg

Bees:

Non-toxic

Worms:

LC ₅₀ (14 d)	<i>Eisenia foetida</i>	2111 mg/kg
-------------------------	------------------------	------------

Other aquatic spp.

LC ₅₀ (96 h)	Fiddler crabs	≥1000 mg/ℓ
	Shrimps	804 mg/ℓ
	Oysters	67 mg/ℓ

ENVIRONMENTAL EFFECTS (indicate if this is only for the active ingredient)

Based on information for the formulation / active ingredient(s)

Plants: Converted to choline chloride in most plants studied.

CRISP 750 SL

SAFETY DATA SHEET

Animals: In goats, 97 % is eliminated within 24 h, principally unchanged.

Persistence and degradability: Not determined.

Bio-accumulative potential: Not determined.

Mobility in soil: In soil, rapidly degraded by microbial activity. It has no influence on soil microflora or fauna. DT₅₀ in 4 soils averaged 32 d at 10 °C; 1-28 d at 22 °C. Low to medium mobility. K_{oc} 203.

Other adverse effects: Not determined

13. DISPOSAL CONSIDERATIONS

Waste: Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

Container: Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.

14. TRANSPORT INFORMATION

UN Number: 1760

Road Transport ADR / ORD:

Class: 8
 Packaging group: III
 UN Proper Shipping Name: CORROSIVE LIQUID, N.O.S. (750 g/l Chloromequat chloride).

Maritime Transport IMDG / IMO:

Class: 8
 Packaging group: III

UN Proper Shipping Name: CORROSIVE LIQUID, N.O.S. (750 g/l Chloromequat chloride).

Marine pollutant (Y/N): No

Air Transport IATA / ICAO:

Class: 8
 Packaging group: III
 UN Proper Shipping Name: CORROSIVE LIQUID, N.O.S. (750 g/l Chloromequat chloride).

Special / Environmental Precaution: No mark is needed

Transport in bulk: Refer to MARPOL 73/78, Annex II and the IBC code.

15. REGULATORY INFORMATION

Safety, health and environmental regulations / legislation for the mixture:

OHSA 1993 Regulations for Hazardous Chemical Substances.

Relevant information regarding restrictions: None.

EU regulation: Regulation EC1272/2008 (EU-GHS/CLP)

Other national regulations: None.

Chemical Safety Assessment carried out? No

16. OTHER INFORMATION

Packaging: Packed in 1, 2, 2.5, 4.5, 5, 10, 21, 25 and 50 litres plastic and fluorinated plastic containers labelled according to South African regulations and guidelines.

Other hazard statements, abbreviations and explanations:

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H370: Causes damage to organs.

IATA: International Air Transport Association.

IBC: International Bulk Chemical.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Dangerous Goods

IMO: International Maritime Organization.

LD₅₀ value: The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

CRISP 750 SL

SAFETY DATA SHEET

OEL/RL: Occupational exposure limit-recommended limit.

TWA: Time-weighted average – The average exposure over a specified period, usually a nominal eight hours.

ST/STEL: Short-term exposure limits.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled: May 2019

Reviewed: May 2022

Revision no.: (1)

Next revision: May 2027

For detailed information on revisions, contact the Registration holder.