

Document no:444VREffective date:July 2018Revision date (version):August 2022 (4)Product Code:HERLOTUS480SL/UR

SAFETY DATA SHEET

1 OTUS 480 SI

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: LOTUS 480 SL Other identifier: Dicamba 480 SL

Recommended use: Herbicide Restrictions on use: Agriculture

Supplier: Villa Crop Protection (Pty) Ltd.

Co. Reg. No.: 1992/002474/07

PO Box 10413

Aston Manor, 1630, South Africa

 Telephone:
 (011) 396 2233

 Fax:
 (011) 396 4666

 Website:
 www.villacrop.co.za

Emergency telephone numbers: 24 Hr Transport / Spill emergency no:

(Hazcall24) +27 86 044 4411

(Client: Villa Crop Protection)

Griffon Poison Information Centre +27 82 446 8946

(Client: Villa Crop Protection)

Poisoning Emergency telephone numbers:

Griffon Poison Information Centre +27 82 446 8946 Poisons Information Centre +27 861 555 777

2. . HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008				
Hazard classes	Hazard	H-statements		
	categories			
Health				
Oral	Acute Tox. 5	H303		
Dermal	Acute Tox. 5	H313		
Eye	Eye Dam.	H318		
Environment				
Aquatic chronic	Aquatic Chronic 3	H412		

The most important adverse effects:

Physiochemical effects:

None known

Human health effects:

May be harmful if swallowed or in contact with skin. (Acute Tox. 5)

Causes serious eye damage. (Eye Dam. 1)

Label elements:



Signal word: Danger

Hazard statements:

H303: May be harmful if swallowed.

H313: May be harmful in contact with skin.

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements:

P264+P265: Wash hands and face thoroughly after

handling. Do not touch eyes.

P280: Wear impervious rubber gloves and boots,

protective clothing and chemical safety goggles.

P273: Avoid release to the environment.

P301+P317: IF SWALLOWED: Get medical help. P302+P317: IF ON SKIN: Get medical help.

P305+P354+P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of content/container to a suitable landfill in accordance with local regulations.

_

Special labelling of certain mixtures:

None known.

Other hazards:

None known.

Toxicity:

Classification according to GHS: Category 5

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Composition:

Chemical Name	CAS	Conc. (m/v %)	Classification EC 1272/2008
Dicamba	1918-00-9	40.85 %	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic chronic 3 (H412)
Surfactant	9004-77-7	< 20 %	Eye Dam. 1 (H318)
Solubilizing agent	107-21-1	< 5 %	Acute Tox. 4 (H302)

4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure.

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.

Skin: Remove contaminated clothing, shoes and leather goods. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Obtain medical attention if irritation persists.

Eyes: Flush eyes with clean water for at least 15 - 20 minutes. Lift eyelids to facilitate irrigation. If present,



Effective date:
Revision date (version):
Product Code:

Document no:

July 2018 August 2022 (4) HERLOTUS480SL/UR

LOTUS 480 SL

SAFETY DATA SHEET

remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention.**

Ingestion: Seek medical attention or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

Anticipated acute effects: May be harmful if swallowed. May be harmful in contact with skin.

Anticipated delayed effects: None known.

Most important symptoms/effects: Causes serious eye damage.

Advice to physician: Treat symptomatically and supportively. No specific antidote known.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use carbon dioxide or dry chemical for small fires and water fog or foam for large fires.

Unsuitable Extinguishing Media: High volume water jet. Use a water jet only to cool heated containers.

Specific hazards: Hazardous gases such as carbon monoxide, nitrogen oxides and sulphur oxides can be released in case of fire.

Special Fire Fighting Procedures: Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

Personal protective equipment: Wear NIOSH/MSHA approved self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with eyes. Do not breathe in spray mist or dust/fumes/vapours. Ventilate area of spill or leak, especially in contained areas.

Protective equipment: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Emergency procedures: Alert firefighting personnel, evacuate unprotected personnel and animals.

Environmental Precautions: Prevent spilled product from entering sewers, waterways or ground water. This product is classified to be toxic to aquatic organisms and

may cause long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water/Environmental Affairs.

Methods and Materials for Containment: Contain spilled product by diking area with sand or earth.

Methods and Materials for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. See section 13 for disposal considerations.

7. HANDLING AND STORAGE

Handling:

Precautions for safe handling: Harmful if swallowed. Avoid contact with skin and eyes. Ensure adequate ventilation during handling and use. Do not inhale spray mist or vapours. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

General occupational hygiene: Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

Storage:

Conditions for safe storage: Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed, in an isolated, dry, cool and well-ventilated area. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

Incompatible substances and mixtures: Refer to product label.

Packaging material: Plastic containers and PE lined metal drums.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Permissible concentration:

No occupational exposure limits have been determined for the significant ingredients in this product.



LOTUS 480 SL

Document no: 444VR

Effective date: July 2018

Revision date (version): August 2022 (4)

Product Code: HERLOTUS480SL/UR

SAFETY DATA SHEET

Engineering Controls:

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depends on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

Personal Protective Equipment

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area (airborne concentrations exceed exposure limits), use a NIOSH approved airpurifying respirator with cartridges/canisters approved for organic vapours

Hand Protection: The use of chemically protective gloves is recommended to prevent against skin contact.

Eye Protection: The use of chemical safety goggles is recommended to prevent against eye contact. Contact lenses do not provide eye protection from chemicals.

Skin and Body Protection: Employee must wear appropriate protective impervious clothing; Rubber boots, hat and equipment to prevent repeated or prolonged skin contact with this substance. Do not wear leather clothing. Emergency eyewash: Where there is any possibility that an employee's eyes may be exposed to this substance; the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Amber / light yellow liquid.

Odour: Mild amine odour.

pH: 7.0 - 9.0

Melting point: Not available.
Freezing Point: Not available.
Boiling Point: Not available.
Flash Point: Not available.
Flammability: Not combustible.

Upper/lower explosion limits: Not available. Vapour Pressure (mm Hg): Not available. Relative Vapour Density: Not available.

Density: 1.18

Solubility: Soluble in water.

n-octanol/water partition coefficient: Not available.

Auto-ignition temperature: Not available. **Decomposition temperature:** Not available.

Viscosity: Not available.

10. STABILITY AND REACTIVITY

Chemical Stability: The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.

Reactivity: None known.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Extreme heat or exposure to flames.

 $\label{localizers} \textbf{Incompatible Materials:} \ \ \text{Strong oxidizers, strong bases,}$

strong reducing agents.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, hydrogen chloride, nitrogen oxide, nitrogen dioxide, hydrocarbons.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Calculated according to GHS:

Oral LD₅₀ (24 h) 3765.31 mg/kg

Dermal LD₅₀ (24 h) rat > 4895.83 mg/kg

Inhalation LC₅₀ (4 h) rat > 5 mg/ ℓ

Skin irritation: May cause mild but temporary skin irritation. Animal tests showed the product to be non-irritating.

Eye Damage: May cause serious eye damage. **Skin Sensitization:** Product is not a skin sensitizer.

Respiratory Sensitization: Not classified **Reproductive cell mutagenicity:** Not classified.

Carcinogenicity: Not classified.

Reproductive toxicity: Not classified.

Specific target organ toxicity - single exposure: Not

classified.

Specific target organ toxicity - repeated exposure:

Not available.

Aspiration hazard: Not classified.

Chronic Effects (other targets e.g. developmental): Not

classified.

POTENTIAL ADVERSE EFFECTS:

Inhalation: None known.

Skin contact: May be harmful in contact with skin.

Eye contact: Causes serious eye damage. **Ingestion:** May be harmful if swallowed.

12. ECOLOGICAL INFORMATION

This product is considered a marine pollutant.

ECOTOXICITY DATA: Active ingredient

Dicamba



LOTUS 480 SL

Document no: 444VR Effective date: July 2018 Revision date (version): August 2022 (4) HERLOTUS480SL/UR **Product Code:**

SAFETY DATA SHEET

Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages. Observe all labelled safeguards until container is destroyed.

14. TRANSPORT INFORMATION

UN Number: Not regulated

Marine Pollutant (Y/N): Yes

Special/Environmental Precautions: Wedge drums tightly to avoid movement.

Transport in bulk (according to MARPOL 73/78, Annex

II and the IBC code): Not available.

15. REGULATORY INFORMATION

health and environmental regulations/legislation for the mixture:

OHSA 1993 Regulations for Hazardous Chemical Substances.

Relevant information regarding restrictions: None.

EU regulation: Regulation EC1272/2008 (EU-GHS/CLP)

Other national regulations: None.

Chemical Safety Assessment carried out? No

16. OTHER INFORMATION

Packaging: Packed in 20, 50, 100, 150, 200, 250, 500 ml & 1, 2, 5, 10, 20, 25, 50, 100 and 200 litre plastic containers and PE lined metal drums, labelled according to South African regulations and guidelines.

Other hazard statements, abbreviations and explanations:

H302: Harmful if swallowed.

IATA: International Air Transport Association.

IBC: International Bulk Chemical.

ICAO: International Civil Aviation Organization. **IMDG:** International Maritime Dangerous Goods

IMO: International Maritime Organization.

LD50 value: The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

TWA: Time-weighted average - The average exposure over a specified period, usually a nominal eight hours.

ST/STEL: Short-term exposure limits.

Disclaimer: The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance

LC₅₀ (96 h) Rainbow trout Bluegill sunfish

135 mg/ℓ.

135 mg/ℓ.

Daphnia:

LC₅₀ (48 h) 120.7 mg/ℓ.

Algae:

LC₅₀ (72 h) Pseudokirchneriella $> 3.7 \text{ mg/}\ell$.

subcapitata

Birds:

Acute oral Bobwhite quail 216 mg/kg b.w. Mallard ducks 1373 mg/kg LD_{50} Mallard ducks > 10000 ma/ka diet

Dietary LC₅₀ Bobwhite quail > 10000 mg/kg diet

(8 d) Bees:

LD₅₀ contact > 100 mg/bee

& oral Worms:

 $LC_{50}(14 d)$ > 1000 mg/kg soil

ENVIRONMENTAL EFFECTS: For the active ingredient: Dicamba

Plants: The degradation rate in plants varies greatly with species. In wheat, the major metabolite is 5-hydroxy-2methoxy-3,6-dichlorobenzoic acid. whilst dichlorosalicylic acid is also a metabolite.

Persistence and degradability: In soil, microbial degradation occurs, the principal metabolite being 3,6dichlorosalicylic acid. Under conditions amenable to rapid metabolism DT_{50} < 14 d.

Bio-accumulative Potential: Not determined.

Mobility in soil: Not determined.

Other adverse effects: Not determined.

13. DISPOSAL CONSIDERATIONS

Waste: Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

Container: Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank.



Document no: 444VR

Effective date: July 2018

Revision date (version): August 2022 (4)

Product Code: HERLOTUS480SL/UR

SAFETY DATA SHEET

LOTUS 480 SL

as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

END OF DOCUMENT

Compiled: July 2018 **Reviewed:** August 2022

Revision no.: (4)

Next revision: August 2027

For detailed information on revisions, contact the Registration holder.